Shake well before measurement and use.

Graph-Ex Inoculant Seed Lubricant for COVER CROPS



Net Weight: 4 oz. (113 grams) Treats 100 lbs. of seed

Contents settle - shake well before measurement and use.

STORAGE INSTRUCTIONS: Contains living organisms. Store packaged in a cool dry place between 40° and 77°F and keep closed until use. Use inoculant before expiration date and only use on specified legume seed. Protect inoculant and inoculated seed from direct sunlight. Information regarding the contents and levels of metals in this product is available on the internet at aapfco.org/metals.html



AGRAUXINE CORP. P.O. Box 222 | Van Wert, OH 45891 USA | 877.617.2461

EXP. DATE:

LOT NUMBER:

FL LICENSE: F003145

Use before expiration date printed on this container.

Contents settle – shake well before measurement and use.



CHS SIGNAL WORD: Danger

HAZARD STATEMENTS: May form combustible dust concentrations in air. May cause cancer through

inhalation. Causes skin and eye irritation. May cause respiratory irritation.

Dispose of contents/container in accordance with local, regional, national, and international regulations. rinsing. If unwell or concerned: Get medical advice. Take off contaminated clothing and wash it before reuse. EYES: Rinse cautiously with water for several minutes. Gently remove contact lenses, if present. Continue plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN well-ventilated area. Wear protective gloves, respiratory protection, eye protection. IF ON SKIN: Wash with dust. Wash face, hands, and any exposed skin thoroughly after handling. Use only outdoors or in a PRECAUTIONARY STATEMENTS: Obtain, read, and follow all safety instructions before use. Avoid breathing

DIRECTIONS FOR USE: This product is intended for nitrogen fixation and to improve nutrient availability.

Shake well before measurement and use.

clover, White clover, ZigZag clover, Crimson clover; Hungarian clover, Ladino, Large hop clover, Persian clover, Puff clover, Red clover, Seaside clover, Small hop Ball clover, Berseem clover, Bigflower clover, Carolina clover, Cluster clover, Rabbitfoot clover, Hop clover, sunn hemp, tepary bean, velvet bean, wild indigo, winged bean, winged crotalaria; True Clover - Alsike clover, partridge pea, peanut, pigeon pea, pink eyed purple hull pea, sericea lespedeza, siratro, slender blushclover, desmodium spp., hairy indigo, jackbean, jointvetch (aeschynomene), Korean lespedeza, kudzu, mung bean, adzuki bean, alyce clover, asparagus-bean, black eyed peas, centrosema, common lespedeza, cowpea, purple vetch, rough pea, specter pea, sweet pea, tangier pea, trapper pea, Cowpeas & Lespedeza – acacia, chickling vetch, faba bean, field pea, flat pea, garden pea, hairy vetch, lentil, manantha vetch, narrowleaf vetch. TREATS ALL THE FOLLOWING CROPS - Peas, Lentils, Vetches and Faba Beans - austrian winter pea,

completely covered. Apply as a dry seed treatment prior to planting. Apply to seed into the planter box or drill box. Mix until seed is

APPLICATION RATE: 2 oz per 50 lb of seed. One 4 oz. package treats 100 lb. of seed.

drill box and mix until uniform seed coverage is obtained. DRILL BOX APPLICATION: Measure appropriate amount of Graph-Ex and sprinkle onto seed in the planter or

Ensure that Graph-Ex is evenly dispersed in the planter. BULK APPLICATION: Apply by manually or mechanically dispersing Graph-Ex into a flowing stream of seed.

treatment compatibility information, please contact your Graph-Ex representative at 877-617-2461. RE-INOCULATE BEFORE PLANTING. For current "planting window" recommendations, and the latest seed FOR OPTIMAL PERFORMANCE, PLANT SEED WITHIN 48 HOURS OF APPLICATION. IF NOT POSSIBLE,

Use of soil treatments and chemicals injurious to soil bacteria and inoculants. 8.3 • Organic matter is less than 1.5% • Drought or flooding has occurred • Topsoil exceeds 80°F • Soil erosion • (3) years • Soil pH is less than 5.8 (the pH should be adjusted by liming prior to inoculation) • Soil pH is more than when planting under the following soil conditions: • Soil has not hosted the specific legume for more than three are present Agrauxine Corp. highly recommends at least a double (ZX) inoculant rate of Graph-Ex for Cover Crops RECOMMENDATIONS FOR ADVERSE CONDITIONS AND VIRGIN LAND: When any of these conditions

INDIKECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. EVENT SHALL AGRAUXINE CORP. OR ANY SELLER OF THIS PRODUCT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR COMPANY'S LIABILITY IS HEREBY EXPRESSLY LIMITED TO THE PURCHASE PRICE OF THIS PACKAGE ONLY. IN NO MERCHANTABILITY, OR WARRANTY OF A PARTICULAR PURPOSE, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. AGRAUXINE CORP. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS, WARRANTY OF field performance complaints must be brought to the attention of Agrauxine Corp. within seventy (70) days of planting. accordance with directions for use noted on this package and other technical recommendations referenced on this label. All the label; (3) Product is used under normal farming practices with favorable soil and weather conditions; (4) Product is used in specified on this package when: (1) Product is used before the expiration date; (2) Product is stored properly as prescribed by LIMITED WARRANTY: Agrauxine Corp. guarantees the culture in this product will inoculate the quantity and kind of seed

CONTAINS NON-PLANT FOOD INGREDIENTS

Active Ingredients: Soil Amending Guaranteed Analysis

...%5.0

Bradyrhizobium sp. (Vigna) 1.67 x 109 cfu/g Rhizobium leguminosarum bv. viceae 1.67 x 10° cfu/g Rhizobium leguminosarum bv. trifolii 1.67 x 10° cfu/g

Microbial Content