



Rhizolock **TECHNOLOGY**

> Net Weight: 3 oz. (85 grams) Treats 6 x 140k units of seed

Contents settle - shake well before measurement and use.



AGRAUXINE CORP. P.O. Box 222 | Van Wert, OH 45891

STORAGE INSTRUCTIONS: Contains living organisms. Store packaged in a cool dry place between 40° and 77°F and keep closed until use. Use inoculant before expiration date and only use on specified legume seed. Protect inoculant and inoculated seed from direct sunlight.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htmlUse before expiration date printed on this container. EXP. DATE:

LOT NUMBER:

FL LICENSE: F003145

Total Other (Inert) Ingredients Bradyrhizobium elkanii 2.5 x 109 cfu/g Trichoderma virens 2.0 x 108 cfu/g Bradyrhizobium Japonicum 5.0 x 0.2 cfu/g :Microbial Content

(lubricant, carrier, stabilizers)

.%4.26

·····%9'† Active Ingredient:

Soil Amending Guaranteed Analysis: CONTAINS NON-PLANT FOOD INGREDIENTS

CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ONLY. IN NO EVENT SHALL AGRAUXINE CORP. OR ANY SELLER OF THIS PRODUCT BE LIABLE FOR WARRANTY. COMPANY'S LIABILITY IS HEREBY EXPRESSLY LIMITED TO THE PURCHASE PRICE OF THIS PACKAGE MERCHANTABILITY, OR WARRANTY OF A PARTICULAR PURPOSE, OR ANY OTHER EXPRESS OR IMPLIED AGRAUXINE CORP. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS, WARRANTY OF

attention of Agrauxine Corp. within seventy (70) days of planting. technical recommendations referenced on this label. All field performance complaints must be brought to the

weather conditions; (4) Product is used in accordance with directions for use noted on this package and other properly as prescribed by the label; (3) Product is used under normal farming practices with favorable soil and kind of seed specified on this package when: (1) Product is used before the expiration date; (2) Product is stored LIMITED WARRANTY: Agrauxine Corp. guarantees the culture in this product will inoculate the quantity and and chemicals injurious to soil bacteria and inoculants.

stnemtseat lios of ecu or noisoael lio2 of 708 sbesexe liosqoT obstruction and proport of Acute of soil treatments less than 5.8 (the PH should be adjusted by liming prior to inoculation) • Soil pH is more than 8.2 • Organic matter achieve at least a double rate. • Soil has not hosted the specific legume for more than three (3) years • Soil pH is inoculants. American Best Inoculant Sterile Peat is highly recommended to be used as a second inoculant to these conditions are present, Agrauxine Corp. highly recommends at least a double (2x) rate of a combination of RECOMMENDATIONS FOR ADVERSE CONDITIONS OR NEW "VIRGIN" SOYBEAN FIELDS: When any of

please contact your Graph-Ex SA® representative at 877-617-2461. For current "planting window" recommendations, and the latest seed treatment compatibility information,

RE-INOCULATE BEFORE PLANTING.

FOR OPTIMAL PERFORMANCE, PLANT SEED WITHIN 72 HOURS OF APPLICATION. IF NOT POSSIBLE, or drill box. Mix seed until uniform coverage is obtained. It is best to treat and mix seed in 140k unit increments. PLANTER BOX APPLICATION METHOD: Apply one half (0.5) ounce by weight per 140k unit of seed into planter

the planter or drill box. dispersing Graph-Ex SA® for Soybeans into a flowing stream of seed. Ensure the product is evenly dispersed in **BULK APPLICATION:** Apply one half (0.5) ounce by weight per 140k unit of seed, by manually or mechanically

Graph-Ex SA® for Soybeans may be applied to seed using two methods of application, bulk or planter box. DIRECTIONS FOR USE: This product is intended for nitrogen fixation and to improve nutrient availability. and/or international regulation.

contents/container to hazardous or special waste collection point, in accordance with local, regional, national If exposed or concerned, get medical advice. Get medical help if you feel unwell. Store locked up. Dispose of or smoke when using this product. Wear protective gloves, protective clothing, eye protection, face protection. dust, fume, gas, mist, vapors, spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink PRECAUTIONARY STATEMENTS: Obtain, read and follow all safety instructions before use. Do not breathe to organs.

HAZARD STATEMENTS: May form combustible dust concentrations in air. May cause cancer. Causes damage **CH2 SIGNAL WORD:** Danger